

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

OKATOMA WATER ASSOCIATION, INC. #1 & #2

Public Water Supply Name

MS0640009 & MS0640022

List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please	Answer the Following Questions Regarding the Consumer Confidence Report									
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)									
	Advertisement in local paper On water bills Other									
	Date customers were informed: 05 /25 /2011, SMITH CO REFORMER, JUNE 1, 2011, THE NEWS COMERCIAL AND THE MAGEE COURIER, MAY 19, 2011. CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:									
	Date Mailed/Distributed: / /									
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)									
	Name of Newspaper: SMITH COUNTY REFORMER, THE NEWS COMMERCIAL, THE MAGEE COURIER									
	Date Published: 05 / 25/ 2011 JUNE 1, 2011 MAY 19, 2011									
	CCR was posted in public places. (Attach list of locations)									
	Date Posted: / /									
	CCR was posted on a publicly accessible internet site at the address: www									
CERT	FICATION									
COMPISION	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi Statement of Health, Bureau of Public Water Supply.									
Name/	Title (President, Mayor, Owner, etc.) JUNE 11. 2011 Date									
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518									

2011 MAY 18 PM 1: 02

2010 Annual Drinking Water Quality Report Okatoma Water Association, Inc. PWS#: 0640009 & 0640022 May 2011

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahoula, Miocene and Citronelle Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Okatoma Water Association have received a lower to higher susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact William Perry at 601.849.5511. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 7:00 PM at 123 South Main Street, Magee, MS.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2010. In cases where monitoring wasn't required in 2010, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#	0640009	•		TEST RESU	JLTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects of # of Samples Exceeding MCL/ACL	or Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
8. Arsenic	N	2010	.6	No Range	ppb	n/a	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2010	.024	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fluoride**	N	2010	.79	.579	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2010	4.8	4.7 – 4.8	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosior of natural deposits
21. Selenium	N	2010	.2	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	on By-Pı	oducts						
Chlorine	N :	2010 .9	92 .8	0 – 1.2 pp	m	0 MD		Water additive used to control microbes

1 -

´ ...

PWS ID#	0640022	,		TEST RESU	LTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	1	MCL	Likely Source of Contamination
Inorganic	Contam	inants							
10. Barium	N	2010	.021	.014021	ppm	2	2		drilling wastes; m metal refineries; tural deposits
16. Fluoride**	N	2010	.79	.6379	ppm	4	4	additive which	tural deposits; water n promotes strong ge from fertilizer n factories
17. Lead	N	2008*	1	0	ppb	0	AL=15	Corrosion of I systems, erosideposits	nousehold plumbing sion of natural
19. Nitrate (as Nitrogen)	N	2010	1.53	.37 – 1.53	ppm	10	10	Runoff from f leaching from sewage; eros deposits	septic tanks,
21. Selenium	N	2010	.7	.17	ppb	50	50	metal refineri	m petroleum and es; erosion of sits; discharge from
Volatile O	rganic C	ontamir	ants						
76. Xylenes	N	2010	.001	.0005001	ppm	10	10	Discharge fro factories; disc chemical fact	charge from

Disinfection	n By-	Produc	:S					
82. TTHM [Total trihalomethanes]	N	2010	7.49	2.27	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2010	.95	.87 – 1	ppm	0	MDRL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2010

We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the OKATOMA WATER ASSOCIATION #1 is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 1. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 13%.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the OKATOMA WATER ASSOCIATION #2 is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 8. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 53%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Okatoma Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

^{**} Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

PROOF OF PUBLICATION 2011 JULY 15 AND 10: 04

THE STATE OF MISSISSIPPI COUNTY OF SIMPSON

Personally appeared before me, the undersigned Notary
Public, in and for the County and State aforesaid
who being by me duly sworn states on oath, that she is __________________\
In Vol. 14 No. 3 Date 4 day of May 2011.
In Vol No Date day of 2011.
In Vol No Date day of 2011.
In Vol No Date day of 2011.
In Vol No Date day of 2011.
In VolNoDateday of2011. Signed
Sworn to and subscribed before me, this day of OF MILL. Notary Public SHELLY CRANE
My Commission Expires:
No. words atcts. Total \$_58 2 00
Proof of Publication : \$
Total Cost: \$ 585

2011 JUD 15 ATTIO: 04

Proof of Publication

STATE OF MISSISSIPPI COVINGTON COUNTY

PERSONALLY APPEARED before me, the undersigned authority, in and for said County and State, **Analyn Arrington Goff**, Publisher of **THE NEWS-COMMERCIAL**, a newspaper published in Collins, said County, who being duly sworn, says the publication of a certain notice, a true copy of which is hereto attached, was made in said paper on the hereinafter dates, as follows, to-wit:

Voi. 109	_ NO. <u>_ 46</u>	Dated_June 1, 2011
Vol	_ No	Dated
Vol	_ No	Dated
Vol	_ No	_ Dated
	nalyn) le	Publisher
Sworn to and subs	cribed before me,	this the 1 day of
June J	ámes Gn	电影 电影 电
Printer's Fee Proof of Publicatio		ID No. 72260 NOTARY PUBLIC Comm. Expires Dec. 18, 2011
TOTAL	\$ 195.00	MGTONCOUL

Many thanks to Ladies Group



D'LO NEWS Pat

Baby Dedication was held at DTo Bupits!
Church on May 8. Barrett Gary and Amelia Sanders were dedicated and each received a Bible. During children's time all mothers were honored, and the Ladies Group prepared pretty cups with cookies and the children's time all mothers were honored, and the Ladies Group prepared pretty cups with cookies and the children Pretty flower arrangements in memory of Kahy Sanders and Werlein Barnes were placed in Church.

I happy Birthday to Heather Easterling, Johnsthan Kiley May 19; Jewel Peacock, Kimberly Cowan, May 20; Joseph Blain, May 21; Royce Mize, Kevin Prince, May 22; Lacy Bounds, Rosemary Gary May 23. Plban Wallace, Markene Welch, Ali McQueen, Johnston, Stock Hary Martis, Kin Runniels, May 24; Clint Barnes, Rose Mary Martis, Kin Runniels, May 25.
Pray for the sick und confined, Bill Everett, Edna Herrington, Judy Cole, Howard and Sally Edwards, Darlene Hertwig, Iwa Jo Hilton, our churches and our country.
Attend Church John 3:16



Atkinson receives ECCC nursing pin

Loren Atkinson, formerly of Magee, was among 52 East Central Community College students who received pins during the annual Associate Degree Nursing Pinning Ceremony held May 6 in Huff Auditorium on the Decatur campus.

2010 Annual Drinking Water Quality Report Okatoma Water Association, Inc. PWS#: 0640009 & 0640022 May 2011

Contaminant	Violation Y/N	Date Collected	Level C Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Massure ment	MCLG	MCL	Likely Source of Contemination
Inorganic (Contam	inants						
8. Arsenic	N.	2010	.6	No Flange	ppb	n/a	10	Erosion of natural deposits, runoff from orchards; runoff from glass and electronics production wastes
10. Sarium	N	2010	.024	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fiuorida**	N	2010	.605	No Range	spm	•	4	Erosion of natural deposits; water additive which promotes strong teeth, discharge from fertilizer and aluminum fectories
17. Lead	N. Color	2008*	1	0.	ppb	0	AL#15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nikrate (as Nikrogen)	N	2010	4.8	4.7 - 4.8	ppm	10	10	from septic tanks, sewage; sroald of natural deposits
21. Selanium	N	2010	.2	No Range	ppb	50	50	Discharge from petroleum and metal refinerias; erosion of natura deposite; discharge from mines

PWS ID # 0	640022			TEST RESU	LTS				
Conteminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG		MCL	Likely Source of Contamination
Inorganie C	ontam	inants			1000				
10. Barlum	N	2010	.021	.014021	ppm	2	2	discharge fro	drilling westes; im metal refineries; itural deposits
16. Fluoride	N	2010	.822	.577822	ррт	4	4	additive which	rtural deposits; wat h promotes strong inge from ferblizer m factories
17. Load	N	2008*	1	0	pph)	0	AL=15		household plumbir elon of natural
19. Nitrato (es Nitrogen)	N	2010	1.63	.37 – 1.63	pom	10	10		fertilizer use; n septic tanks, ston of natural
21. Selenium	N	2010	.7	1-7	opb	50	50	metal refiner	om petroleum and les; erosion of sits; discharge fron
Volatile Or	ganic C	ontami	ants						
76. Xylenes	N	2010	.001	.0005001	ppm	\$0	10	Discharge fro factories; dis chemical fac	om petroleum charge from tories

Disinfection	ı By-P	roducts					
82 TTHM [Total trihalomethanes]	Ŋ	2010	7.49	2.27	pph 0	80	By-product of drinking water chlorination.
Chlorine	N	2010	.95	.87 ~ 1	ppm 0	MDRL = 4	Water additive used to control microbes

in this sales you we find many forms and abbreviations you rigid not be familiar with. To help you believ understand finder forms with provided the fill-inviting destinates.

Account for the connections of a contaminant which, if a consense, disjoint forwards or other requirements which is under system, most blow.

Massions Contaminant Level (MCL). The "Massimum Albared" (MCL) is the highest level of a contaminant that is advent in coloring motor. MCLs and set us down to the MCLCR as Casadin using the heat available Examinant (exhibitory).

Maximum Constraints (Level Gust (MCLG) - The "Gost (MLCG) is the level of a constraint in detailing water below which there is no second a deposed less to be about the a margin of salety.

Account of exposed that to mean, smaller earth or entries to entry.

Interconn. Resource Distributions from (Indicit). The registed level of a distribution stolered in dynamy water. There is commonly exposed to a place of a distribution of a place Common water sources or a vision state in my castley not common microcola documentation.


Materian Resolved Destricted Event Goal (MARCO) — The larved of a criticity social districted below which there is no shown or upgraved one of health. Marcoll (R) or not relocal the benefits of the upge of districted in contact distriction contamination.

\$10000 Livest her united thought in greatment but the lability can had be used acceptancy to our united to the laboration a ending benefit in 3 100000.

Pode pur blood ((eS) or Moutigrans per liter - one ped per bleen corresponds to one minde in 2,000 years, or a single perior in \$10 000,000.

WS ID#	VOINT	Colected Colected	Level Detected	TEST RESUL Range of Detects or # of Europein Europeing	Licit Mesoure -ment	NCIO	MC1	Likely Source of Contemporation
	i		L	i include	7.0	-		
norganic (Contam N	inants 2010		No Rayon	PAPE	964	10	Experient of natural deposits, national from organics; national from glasse and electronics production seguine
Q Ednam	H -	2510	.624	No Ruge	pp)%	- 2	2	Decrarge of dolling wastes, glackurge from mutal refrectes; emains of returns promote
5. Fk.0006**	H	2010	79	6-,18	bon	1		Emelon of natural deposits, water addition which promotes along seco, decharge from lensites an at money beginner
17.14-51		2006"	1.	0	550	9	AL-16	Corresion of household plumbing systems, expelon of rebuild
19 Hitrate (+5	- N	2010	4.8	43-43	ppm	16	1	Renoff from fortices use; leacher from septi; tanks, spurage; prop of pub net records
neopen) In Bosesen	-	2015	12-	No Funge	tto	60	8	Decharge from petroseum and roscal refractes: erosion of netur deposits; discharge from mines
				1 7	1.		. 130	
Disinfecti	on By-F	roducts	62	20-12 PP	×	0 H	DRL - 4	Water additive year to control

PWS ID#	0640022			TEST RESU				KL.	Likely Source of
Cordemonera	VALETON	Colorad Colorad	Level Deserted	Range of Detects or at at Samples Euceoding MCLIACE	Unit Messyra visoral	MCLG			Consenhaton
Inorganic	Contam	inants 2010	.021	£14-,021	ppes	,		contains in	Grilling wasses, one total reference sturns pegasta
16 Floride	- N	2510	70	F1 63	bbay	•	•	Erceion of re address whe seeks dischi	grunal deposits, on th promisses stron unga born lantikest um tackorten
17. Load		2000	1	•	Py*	١.	AL×15	Connection	l household plunic calco of national



2010 ANNUAL DRINKING WATER QUALITY REPORT OKATOMA WATER ASSOCIATION, INC. PWS#: 0640009 & 0640022 MAY 2011

We'se pleased to present to you this year's Annua Quality Water Report. This report is designed to inform you about the public water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drunking water. We want you to understand the efforts we make to continually improve the water temperes and proced our water resources. We are committed to ensuring the quality of your water. Our water source is frow wells drawing from the Calonida, Miocene and Chouetle Aquilets.

The source water assessment has been completed for or public water system to determine the overall susceptibility to its drinking water supply to identified potential sources of contamination. A report containing detailed information on he has userceptibility determinations were made has been formished to our public water system and is available for viewin upon request. The wells for the Okatoma Water Association have received a lower to higher susceptibility ranking to contamination.

y questions about this report or concerning your water utility, please contact William Perry at 601.849.551 whied customers to be informed about their water utility. If you want to learn more, please attend any cheduled meetings. They are held on the first Thesday of the month at 7,00 PM at 123 South Main Street.

our regularly scheduled meetings. They are held on the first Theoday of the month at 7.00 PM at 123 South Main Sures fined and prescribed in § 13-3-31 of Main Sures. We returned to the property of the month at 7.00 PM at 123 South Main Sures fined and prescribed in § 13-3-31 of Main Sures of the month o s health risk. It will find many terms and abbreviations you might not be familiar with. To help you better underst

we've provided the following definitions:

Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contami close to the MCLOs as feasible using the best available treatment technology.

el Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking wate cells. MCLGs allow for a murgin of safety.

PWS ID#	0640009			TEST RESU	LTS	- 11		
Consumerost Y/N	Violation follocted	Date Collected	Level Descript	Range of Detrois to 6 of Sumples Exceeding MCT/ACL	Urai Mouserment	MCLG	MCL	1344ly Source of Contemination
noreanie	Contam	mants	-					Erosion of not dep ; recoff from orchards:
Ansik	×	2010		No Ringe	lbp.	D/2	10	rancel from plans & electropics production was
16 History	N	2010	.024	No Range	. 80:2	2	2	Discharge of drilling waytes: discharge from metal ref.; crosice of natural dep.
16 Hoarlde	N.	2010	.29	579	bbea	\$ 1.11		Ercaion of rast dept; water additive which promotes at ong teeth; discharge from femilian & algoritosom factories.
[7.1ast	N	2000	1	0	thp	0	A(=15	Corrosion of fatuschold plumbing systems; erasion of natural deposits.
S Name (s	N	2010	4.8	4.7 - 4.8	bbos -	+	4 .	Repost from fertiliste use, leaching from sept tanks, sewage, estation of instant deposits.
Newgoni 29. Setesber	В	2010	2	No Range .	ppb	50	50	Discharge from petroleum & metal refineries; especion of not dep.; discharge from mines.
Disinfect	ion By-Pr	oducts	ــــــــــــــــــــــــــــــــــــــ	J				
Ottores	7	2010	.82	80 - 1.2	ppm .	0	MDSL-14	Water additive used to occased microbes.

PROOF OF PUBLICATION

State of Mississippi, ity of Smith

SONALLY CAME before me, the rsigned a Notary Public in and for TH COUNTY, MISSISSIPPI the ICE CLERK of the SMITH NTY REFORMER, a newspaper shed in the Town of Raleigh, Smith ty, in said State, who being duly 1, deposes and says that the SMITH NTY REFORMER is a newspaper

bia	
sses	2 annual Drinking
can	7 MARIE MARIA
r is	to But I Rom I
ater	Entering Heplick
unts	4
that	
١.	
tand	,
	made in said papertimes
	rely, to-wit:
musi	ouj, to-wn.
- 1	
king	day of May 20 4
. 1	/ 🛴 🕇
is no	_day of
- 9	
	Un 🥱 A
ience	_day of
vi) oi	
	day of
my ir	
	, · ,

OFFICE CLERK

20//_ Words

Cost

Inorganic Contaminants .014 - .021 Discharge of drilling w .63 - .79 de alternature factories Corrosion of household pleathing ayrange: 37 - 1.53 ecosion of neutral deposits Rusself from fertilizer use: leaching from so 2010 fulks, sewage; exesi 1.7 f mucul deposits m & metal refinerie Volatile Organic Contaminants .0035 - .001 Disinfection By-Products
2 THM N 2010

unple. No sample required for 2010 It is rountinely adjusted to the MS State Dept. of Health's recommended level of 0.7 - 1.3 mg/l.

"***Placetic tote of a reambory adjunction to the SIS Stare Days of Health's recommended level of 0.7 - 1.3 mg/l.

We're proud that your drinking water mosts or exceeds all Federal and State requirements. We have learned through our monitoring and lecting that some constituents have been detected however the EIPA has determined that your water ISA SIF at these levels.

We are required to motion your drinking water for specific constituents on a nindity basis. Results of regular monitoring are an indicator of whether or not our drinking water for specific constituents on a nindity basis. Results of regular monitoring are an indicator of whether or not our drinking water rarest health snadards. We did complete the monitoring requirements for bacteriological sampling that showed no coliforms present. In an effort such systems complete all monitoring requirements, MSDH now moifies systems of any musting samples prior to the prince systems complete all monitoring requirements, MSDH now moifies systems of any musting samples prior to the prince systems complete all moderns, and drinking water is primarily from materials and components associated with service live moif your district of the prince of the prin

at 1-800-426-479]. The to understand by calling the Environmental Protection Agency's Safe Drinking Water Hodine Some people may be more vulnerable to contaminants in dialaking water than the general population, immunocompro-mixed persons such as persons with cancer undergoing chemotherapy, persons who have undergoes capan transplanar, ecople with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at this from infec-ience. These people should seek active about drinking water from their beath care providers. EPA/CDC guidelines on appropriate means to lesson the risk of infection by cryptosporidiom and other microbiological consuminants are available from the Safe Drinking Water Holline 1800-426-479. The Oktomus Water Association, Inc. works around the clock to provide top quality water to every up. We ask that all are customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

38

3

å